Northwest Science
Volume 60 (1986)
Author and Subject Index

(Author headings are in capital letters)

Abies *see* firs
ALABACK, P. B. Biomass regression equations for understory plants in coastal Alaska: effects of species and sampling design on estimates. 90-103
Alaska
  forest biomass estimates: Alaback, 90-103
  plant distributions: Odasz, 104-107
ANDERSON, J. E. *see* Shumar and Anderson, 179-185
Anoplarchus *see* stichaeoid fish
archaeology
  obsidian artifacts: Hughes, 73-80
Ardea *see* herons
Artemisia *see* sagebrush
ARTHUR, W. J., III and D. H. JANKE. Radionuclide concentrations in wildlife occurring at a solid radioactive waste disposal area. 154-159
ash, volcanic
  at Battle Ground Lake: Juvigné, 210-217
  and salmon: Kirn, Ledgerwood and Jensen, 191-196
  and zooplankton: Gaddy and Parker, 47-51
Astragalus *see* milkvetch

BARTON, M. Influence of substratum on the comparative food habits of two species of estuarine stichaeoid fishes, *Anoplarchus purpurescens* (Family Stichaeidae) and *Pholis ornata* (Family Pholididae). 125-130
bats
  little brown (*Myotis lucifugus*): Lunde and Harestad, 206-209
Battle Ground Lake, Wa
  sediments: Juvigné, 210-217
bears
  black (*Ursus americanus*) and grizzly (*U. arctos*) in Washington: Lyman, 67-72
BELL, M. A. M. *see* Fyles and Bell, 8-14
bentonite mine spoils
  and deer mice: Sieg, Uresk and Hansen, 81-89
  and small mammals: Sieg, Uresk and Hansen, 218-224
biomass estimates
  in forests: Alaback, 90-103
birds
  bald eagle perch sites: Fielder and Starkey, 186-190
  flammulated owls: Hayward, 141-144
  great blue herons: Julin, 201-205
  and radionuclides: Arthur and Janke, 154-159
  wild turkey brood habitats: Mackey, 108-112
  wintering passerines: Tank and Sidle, 238-242
BLAHM, T. H. *see* McCabe, Emmett, Muir and Blahm, 113-124
British Columbia
  little brown bats: Lunde and Harestad, 206-209
  river bars and plants: Fyles and Bell, 8-14
  sedge germination: Hutchinson and Smythe, 36-41
Brooks Range, Al
  plant distributions: Odasz, 104-107
BUNTING, S. C. *see* Smith, Bunting and Hironaka, 279-286
BUTLER, D. R. Conifer invasion of subalpine meadows, central Lemhi Mountains, Idaho. 166-173

CAMERON, K. A. and P. PRINGLE. Post-glacial lahars of the Sandy River basin, Mount Hood, Oregon. 225-237
Carex *see* sedges
Cascade Mountains, Wa
  alpine plants and pollination: Shaw and Taylor, 21-31
Cervus *see* elk
CHISHOLM, I. M. and W. A. HUBERT. Influence of stream gradient on standing stock of brook trout in the Snowy Range, Wyoming. 137-139
Clethrionomys *see* voles
Columbia River
  chinook salmon: McCabe, Emmett, Muir and Blahm, 113-124
  chinook salmon and ash: Kirn, Ledgerwood and Jensen, 191-196
  squawfish: Kirn, Ledgerwood and Nelson, 197-200
Compositae *see* sagebrush
conifers *see* Pinaceae
count marks
  in rock art: Lewis, 243-249
CROSS, S. P. *see* Hayes, Cross and McIntire, 250-257
CUDMORE, W. W. Ectoparasites of *Neotoma cinerea* and *N. fuscipes* from western Oregon. 174-178
Cyperaceae *see* sedges

deer
  mule (*Odocoileus hemionus*) and selenium: Fielder, 15-20
DEMARTINI, E. E. Reproductive colorations, paternal behavior and egg masses of kelp greenling, *Hexagrammos decagrammus*, and whitespotted greenling, *H. stelleri*. 32-35
DOESCHER, P. S., R. F. MILLER, S. R. SWANSON and A. H. WINWARD. Identification of the *Artemisia tridentata* spp *wyomingensis/Festuca idahoensis* habitat type in eastern Oregon. 55-60
douglas-firs
  (*Pseudotsuga menziesii*) and blue herons: Julin, 201-205
  meadow invasion: Butler, 166-173
  seedling temperature tolerance: Seidel, 1-7
  see also firs
DUNCAN, S. H. Peak stream discharge during thirty years of sustained yield timber management in two fifth order watersheds in Washington state. 258-264

eagles
  bald (*Haliaeetus leucocephalus*) perch sites: Fielder and Starkey, 186-190
ecology
  and environmental problem-solving: Orians, 287-292
ectoparasites
  on woodrats: Cudmore, 174-178
elk
  Rocky Mountain (*Cervus elaphus nelsoni*) and selenium: Fielder, 15-20
EMMETT, R. L. *see* McCabe, Emmett, Muir and Blahm, 113-124
environmental problems
  and solutions: Orians, 287-292

fescue
Idaho (*Festuca idahoensis*): Doescher, Miller, Swanson and Winward, 55-60
Festuca *see* fescue
FIELDER, P. C. Implications of selenium levels in Washington mountain goats, mule deer and Rocky Mountain elk. 15-20
FIELDER, P. C. and R. G. STARKEY. Bald eagle perch-sites in eastern Washington. 186-190
firs
grand (*Abies grandis*) and root trenching: McCune, 52-54
grand (*A. grandis*) and seedling temperature tolerance: Seidel, 1-7
see also douglas-firs
fish
brook trout and stream gradients: Chisholm and Hubert, 137-139
chinook salmon diet: Kirn, Ledgerwood and Jensen, 191-196
chinook salmon diet: McCabe, Emmett, Muir and Blahm, 113-124
greenling reproductive behavior: DeMartini, 32-35
squawfish abundance, Kirn, Ledgerwood and Nelson, 197-200
stichaeoid fish diet: Barton, 125-130
forests
biomass estimates: Alaback, 90-103
conifer seedling temperature tolerance: Seidel, 1-7
conifers and grasses: McDonald, 271-278
and great blue herons: Julin, 201-205
and little brown bats: Lunde and Harestad, 206-209
and meadow invasion: Butler, 166-173
and root competition: McCune, 52-54
timber management and streams: Duncan, 258-264
frequency plots
and vegetation changes: Smith, Bunting and Hironaka, 279-286
FYLES, J. W. and M. A. M. BELL. Vegetation colonizing river gravel bars in the Rocky Mountains of southeastern British Columbia. 8-14

GADDY, A. J. and R. A. PARKER. Zooplankton grazing activity and assimilation in the presence of Mount St. Helens ash. 47-51
geochemistry
obsidian: Hughes, 73-80
geology
late-Quaternary sediments: Juvigné, 210-217
post-glacial lahars: Cameron and Pringle, 225-237
sedimentary rocks of Manastash Formation: Lewellen, 160-165
geomorphology
Whatcom County, Washington: Goldin, 61-66
germination
and salinity: Hutchinson and Smythe, 36-41
goats
mountain (*Oreamnos americanus*) aerial census: Houston, Moorhead and Olson, 131-136
mountain (*O. americanus*) and selenium: Fielder, 15-20
GOLDIN, A. Geomorphic surfaces and soils, northwestern Whatcom County, Washington. 61-66
Gramineae *see* fescue, grasses
grasses
and young conifers: McDonald, 271-278
gravel bars
and plant communities: Fyles and Bell, 8-14
greenling
kelp (*Hexagrammos decagrammus*) and whitespotted (*H. stelleri*): DeMartini, 32-35

Haliaeetus *see* eagles
HANSEN, R. M. *see* Sieg, Uresk and Hansen, 81-89, 218-224
HARESTAD, A. S. *see* Lunde and Harestad, 206-209
HAYES, J. P., S. P. CROSS and P. W. MCINTIRE. Seasonal variation in mycophagy by the western red-backed vole, *Clethrionomys californicus*, in southwestern Oregon. 250-257
HAYWARD, G. Activity pattern of a pair of nesting flammulated owls (*Otus flammeolus*) in Idaho. 141-144
heat tolerance
in conifer seedlings: Seidel, 1-7
herons
great blue (*Ardea herodias*) and nesting trees: Julin, 201-205
Hexagrammos *see* greenling
HIRONAKA, M. *see* Smith, Bunting and Hironaka, 279-286
HOUSTON, D. B., B. B. MOORHEAD and R. W. OLSON. An aerial census of mountain goats in the Olympic Mountain range, Washington. 131-136
HUBERT, W. A. *see* Chisholm and Hubert, 137-139
HUGHES, R. E. Energy dispersive X-ray fluorescence analysis of obsidian from Dog Hill and Burns Butte, Oregon. 73-80
HUTCHINSON, I. and S. R. SMYTHE. The effect of antecedent and ambient salinity levels on seed germination in populations of *Carex lyngbyei* Hornem. 36-41

Idaho
conifer invasion of meadows: Butler, 166-173
flammulated owls: Hayward, 141-144
radioactive waste and wildlife: Arthur and Janke, 154-159
sagebrush and sand dunes: Shumar and Anderson, 179-185
wintering passerine birds: Tank and Sidle, 238-242
insects
and milkvetch seeds: Youtie and Miller, 42-46

JANKE, D. H. *see* Arthur and Janke, 154-159
JENSEN, A. L. *see* Kirn, Ledgerwood and Jensen, 191-196
JULIN, K. R. Decline of second-growth Douglas-fir in relation to great blue heron nesting. 201-205
JUVIGNE, E. H. Late-Quaternary sediments at Battle Ground Lake, southern Puget Trough, Washington. 210-217.
KIRN, R. A., R. D. LEDGERWOOD and A. L. JENSEN. Diet of subyearling chinook salmon (*Oncorhynchus tshawytscha*) in the Columbia River estuary and changes effected by the 1980 eruption of Mount St. Helens. 191-196
KIRN, R. A., R. D. LEDGERWOOD and R. A. NELSON. Increased abundance and the food consumption of northern squawfish (*Ptychocheilus oregonensis*) at River Kilometer 75 in the Columbia River. 197-200

lahars
post-glacial: Cameron and Pringle, 225-237
LEDGERWOOD, R. D. *see* Kirn, Ledgerwood and Jensen, 191-196 and Kirn, Ledgerwood and Nelson, 197-200
Leguminosae *see* milkvetch
Lemhi Mountains, Id
conifer invasion of meadows: Butler, 166-173
LEWELLEN, D. G. Petrographic differences between two sedimentary rock bodies of the Eocene-age Manastash Formation, Kittitas County, Washington. 160-165
LEWIS, T. H. Counts, coups and tally marks: evidence of notational systems in the pictographic/petroglyphic record. 243-249

LUNDE, R. E. and A. S. HARESTAD. Activity of little brown bats in coastal forests. 206-209
LYMAN, R. L. On the Holocene history of *Ursus* in eastern Washington. 67-72

MCCABE, G. T., JR., R. L. EMMETT, W. D. MUIR and T. H. BLAHM. Utilization of the Columbia River estuary by subyearling chinook salmon. 113-124
MCCUNE, B. Root competition in a low-elevation grand fir forest in Montana—a trenching experiment. 52-54
MCDONALD, P. M. Grasses in young conifer plantations—hindrance and help. 271-278
MCINNIS, M. L. and M. VAVRA. Summer diets of domestic sheep grazing mountain meadows in northeastern Oregon. 265-270
MCINTIRE, P. W. *see* Hayes, Cross and McIntire, 250-257
MACKEY, D. L. Brood habitat of Merriam's turkeys in south-central Washington. 108-114
mammals
  see bears, deer, elk, goats, sheep
mammals, small
  bat activity: Lunde and Harestad, 206-209
  and bentonite mine spoils: Sieg, Uresk and Hansen, 218-224
  deer mice diets: Sieg, Uresk and Hansen, 81-89
  mycophagy: Rhoades, 150-153
  mycophagy and voles: Hayes, Cross and McIntire, 250-257
  and radionuclides: Arthur and Janke, 154-159
  on uranium mill tailings: Rumble, 145-149
  woodrat ectoparasites: Cudmore, 174-178
Manastash Formation, Wa
  sedimentary rocks: Lewellen, 160-165
marshes
  sedge germination and salinity: Hutchinson and Smythe, 36-41
Meleagris *see* turkeys
mice
  deer (*Peromyscus maniculatus*) diets: Sieg, Uresk and Hansen, 81-89
milkvetch
  threadsilk (*Astragalus filipes*) and woolly-pod (*A. purshii*) pollination: Youtie and Miller, 42-46
MILLER, R. F. *see* Doescher, Miller, Swanson and Winward, 55-60, and Youtie and Miller, 42-46
Montana
  deer mice diets: Sieg, Uresk and Hansen, 81-89
  petroglyphic count marks: Lewis, 243-249
  root competition in forests: McCune, 52-54
  small mammals on bentonite mine spoils: Sieg, Uresk and Hansen, 218-224
MOORHEAD, B. B. *see* Houston, Moorhead and Olson, 131-136
Mount Hood, Or
  post-glacial lahars: Cameron and Pringle, 225-237
Mount St. Helens, Wa
  ash and salmon: Kirn, Ledgerwood and Jensen, 191-196
  ash and zooplankton: Gaddy and Parker, 47-51
  eruption and squawfish: Kirn, Ledgerwood and Nelson, 197-200
MUIR, W. D. *see* McCabe, Emmett, Muir and Blahm, 113-124
mycophagy
  in small mammals: Rhoades, 150-153
  in voles: Hayes, Cross and McIntire, 250-257
Myotis *see* bats

NELSON, R. A. *see* Kirn, Ledgerwood and Nelson, 197-200
Neotoma *see* woodrats
notational systems
  in rock art: Lewis, 243-249
nuclear waste
  in mill tailings: Rumble, 145-149
  and wildlife: Arthur and Janke, 154-159

obsidian
  in archaeological artifacts: Hughes, 73-80
ODASZ, A. M. Distributions of 40 rare vascular plants in the Alatna River drainage of the central Brooks Range, Alaska. 104-107
Odocoileus *see* deer
OLSON, R. W. *see* Houston, Moorhead and Olson, 131-136
Olympic Mountains, Wa
  mountain goats: Houston, Moorhead and Olson, 131-136
Oncorhynchus *see* salmon
Oreamnos *see* goats
Oregon
  domestic sheep diets: McInnis and Vavra, 265-270
  ectoparasites on woodrats: Cudmore, 174-178
  insects and milkvetch: Youtie and Miller, 42-46
  obsidian: Hughes, 73-80
  post-glacial lahars: Cameron and Pringle, 225-237
  sagebrush/fescue habitat: Doescher, Miller, Swanson and Winward, 55-60
  squawfish abundance: Kirn, Ledgerwood and Nelson, 197-200
  voles and mycophagy: Hayes, Cross and McIntire, 250-257
ORIANS, G. H. Ecology and environmental problem-solving. 287-292
Otus *see* owls
Ovis *see* sheep
owls
  flammulated (*Otus flammeolus*) in Idaho: Hayward, 141-144

PARKER, R. A. *see* Gaddy and Parker, 47-51
passerine birds
  wintering in Idaho: Tank and Sidle, 238-242
  see also birds
Peromyscus *see* mice
petroglyphs
  countmarks: Lewis, 243-249
Pholis *see* stichaeoid fish
Picea *see* spruce
Pinaceae
  and grasses: McDonald, 271-278
  invasion of meadows: Butler, 166-173
  see also douglas-firs, firs, pines, spruce
pines
  lodgepole (*Pinus contorta*) and limber (*P. flexilis*) in meadow invasion: Butler, 166-173
  ponderosa (*P. ponderosa*) seedling tolerance: Seidel, 1-7
plant communities
  biomass estimates: Alaback, 90-103
  conifer invasion: Butler, 166-173
  detecting vegetation change: Smith, Bunting and Hironaka, 279-286
  on gravel bars: Fyles and Bell, 8-14
  and pollination: Shaw and Taylor, 21-31
  sagebrush: Shumar and Anderson, 179-185
  sagebrush/grassland: Doescher, Miller and Winward, 55-60
  sedges: Hutchinson and Smythe, 36-41
plant distributions
  Alaska: Odasz, 104-107
pollination
  and alpine fell-field community: Shaw and Taylor, 21-31
PRINGLE, P. *see* Cameron and Pringle, 225-237

Pseudotsuga *see* douglas-firs
Ptychocheilus *see* squawfish

radiation exposure
of small mammals: Rumble, 145-149
radioactive waste disposal
and wildlife: Arthur and Janke, 154-159
RHOADES, F. Small mammal mycophagy near wood debris accumulations in the Stehekin River valley, Washington, 150-153
rivers
plants on gravel bars: Fyles and Bell, 8-14
Rocky Mountains, B.C.
river bars and plants: Fyles and Bell, 8-14
RUMBLE, M. A. Radiation dosimetry on revegetated uranium mill tailings in western South Dakota. 145-149
ruminants
and selenium: Fielder, 15-20
see also deer, elk, goats

sagebrush
big (*Artemisia tridentata*) on sand dunes: Shumar and Anderson, 179-185
Wyoming big (*A. tridentata* ssp. *wyomingensis*) in Oregon: Doescher, Miller, Swanson and Winward, 55-60
salmon
chinook (*Oncorhynchus tshawytscha*) diet: Kirn, Ledgerwood and Jensen, 191-196
chinook (*O. tshawytscha*) in Columbia River estuary: McCabe, Emmett, Muir and Blahm, 113-124
Salvelinus *see* trout
sand dunes
and sagebrush: Shumar and Anderson, 179-185
sedges
Carex lyngbyei and salinity: Hutchinson and Smythe, 36-41
sediments
at Battle Ground Lake: Juvigné, 210-217
SEIDEL, K. W. Tolerance of seedlings of ponderosa pine, douglas-fir, grand fir and Engelmann spruce for high temperatures. 1-7
selenium
in goats, deer and elk: Fielder, 15-20
SHAW, D. C. and R. J. TAYLOR. Pollination ecology of an alpine fell-field community in the north Cascades. 21-31
sheep
domestic (*Ovis aries*) diets: McInnis and Vavra, 265-270
SHUMAR, M. L. and J. E. ANDERSON. Water relations of two subspecies of big sagebrush on sand dunes in southeastern Idaho. 179-185
SIDLE, W. B. *see* Tank and Sidle, 238-242
SIEG, C. H., D. W. URESK and R. M. HANSEN. Seasonal diets of deer mice on bentonite mine spoils and sagebrush grasslands in southeastern Montana. 81-89
The value of bentonite mine spoils in southeastern Montana as small mammal habitat. 218-224
SMITH, S. D., S. C. BUNTING and M. HIRONAKA. Sensitivity of frequency plots for detecting vegetation change. 279-286
SMYTHE, S. R. *see* Hutchinson and Smythe, 36-41
Snowy Range, Wy
brook trout: Chisholm and Hubert, 137-139
soils
in Whatcom County, Wa: Goldin, 61-66
South Dakota
radiation from mill tailings: Rumble, 145-149
spruce
Engelmann (*Picea engelmannii*) seedling temperature tolerance: Seidel, 1-7
squawfish
northern (*Ptychocheilus oregonensis*) abundance: Kirn, Ledgerwood and Nelson, 197-200
STARKEY, R. G. *see* Fielder and Starkey, 186-190
stichaeoid fish
Anoplarchus purpurescens and *Pholis ornata*, food habits: Barton, 125-130
streams
discharge and timber management: Duncan, 258-264
SWANSON, S. R. *see* Doescher, Miller, Swanson and Winward, 55-60

TANK, S. L. and W. B. SIDLE. Habitat relationships of wintering passerines in the River of No Return Wilderness Area of central Idaho. 238-242
TAYLOR, R. J. *see* Shaw and Taylor, 21-31
trout
brook (*Salvelinus fontinalis*) in Wyoming: Chisholm and Hubert, 137-139
turkeys
Merriam's wild (*Meleagris gallopavo merriami*), brood habitat: Mackey, 108-112

uranium
mill tailings: Rumble, 145-149
URESK, D. W. *see* Sieg, Uresk and Hansen, 81-89, 218-224
Ursus *see* bears

VAVRA, M. *see* McInnis and Vavra, 265-270
vegetation change
detection by frequency plots: Smith, Bunting and Hironaka, 279-286
volcanoes
and chinook salmon: Kirn, Ledgerwood and Jensen, 191-196
and squawfish: Kirn, Ledgerwood and Nelson, 197-200
and zooplankton: Gaddy and Parker, 47-51
voles
western red-backed (*Clethrionomys californicus*) and mycophagy: Hayes, Cross and McIntire, 250-257

Washington
alpine plants and pollination: Shaw and Taylor, 21-31
ash and salmon diet: Kirn, Ledgerwood and Jensen, 191-196
bald eagle perch sites: Fielder and Starkey, 186-190
black and grizzly bears: Lyman, 67-72
geomorphology in Whatcom County: Goldin, 61-66
mountain goat census: Houston, Moorhead and Olson, 131-136
mycophagy in small mammals: Rhoades, 150-153
ruminants and selenium: Fielder, 15-20
sedimentary rocks of Manastash Formation: Lewellen, 160-165
sediments at Battle Ground Lake: Juvigné, 210-217
streams and timber management: Duncan, 258-264
wild turkey brood habitat: Mackey, 108-112
watersheds
streams and timber management, Duncan, 258-264
WINWARD, A. H. *see* Doescher, Miller, Swanson and Winward, 55-60
woodrats
ectoparasites of bushy-tailed (*Neotoma cinerea*) and dusky-footed (*N. fuscipes*): Cudmore, 174-178
Wyoming
brook trout: Chisholm and Hubert, 137-139

Yaquina Bay
stichaeoid fish: Barton, 125-130
YOUTIE, B. A. and R. F. MILLER. Insect predation on *Astragalus filipes* and *A. purshii* seeds. 42-46
zooplankton
and volcanic ash: Gaddy and Parker, 47-51